

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
8 March 2001 (08.03.2001)

PCT

(10) International Publication Number  
**WO 01/16841 A2**


- (51) International Patent Classification<sup>7</sup>: **G06F 17/60**
- (21) International Application Number: PCT/US00/23875
- (22) International Filing Date: 30 August 2000 (30.08.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- |            |                             |    |
|------------|-----------------------------|----|
| 09/385,256 | 30 August 1999 (30.08.1999) | US |
| 09/595,141 | 14 June 2000 (14.06.2000)   | US |
| 09/595,050 | 14 June 2000 (14.06.2000)   | US |
| 09/595,337 | 14 June 2000 (14.06.2000)   | US |
- (71) Applicant: OPINIONLAB, INC. [US/US]; Suite 300, 513 Central Avenue, Highland Park, IL 60035 (US).
- (72) Inventors: NICKERSON, Rand, B.; 2684 Sheridan Road, Highland Park, IL 60035 (US). TRESCHL, Mark, A.; 1283 Sherwood Road, Highland Park, IL 60035 (US). KIDD, Kathryn, L.; 8547 Hawk Run Terrace, Montgomery Village, MD 20886 (US). CROFOOT, Matthew,
- J.; 850 West Newport Avenue, Apartment 3E, Chicago, IL 60657 (US). SAMATA, A., Gregory; 317 South First Street, West Dundee, IL 60118 (US). MASON, David, E.; 1171 Fox Path, West Dundee, IL 60118 (US).
- (74) Agent: KENNERLY, Christopher, W.; Baker Botts L.L.P., 2001 Ross Avenue, Dallas, TX 75201-2980 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SYSTEM AND METHOD FOR MEASURING AND REPORTING USER REACTIONS TO PARTICULAR WEB PAGES OF A WEBSITE



**WO 01/16841 A2**



(57) Abstract: A system (10) for measuring a user reaction to a particular web page (28) of a website (26) includes a viewable icon (50) that solicits a subjective reaction to the particular page (28) from a user (16) that has accessed the particular page (28). The system (10) further includes software associated with the icon (50) that receives the subjective user reaction for reporting to a website owner (12). Software associated with the icon (50) may be incorporated into software of the particular page (28). Software associated with the icon (50) may include a call to a directory containing a script that receives the user reaction. A reporting module (46) coupled to a database (36) containing user reaction information for each page (28) may generate reports (100) for communication to the website owner (12), each report (100) reflecting the subjective user reactions to one or more particular pages (28).

SYSTEM AND METHOD FOR MEASURING AND REPORTING  
USER REACTIONS TO PARTICULAR WEB PAGES OF A WEBSITE

TECHNICAL FIELD OF THE INVENTION

This invention relates in general to communications and more particularly to a system and method for measuring and reporting on user reactions to particular web pages of a website.

BACKGROUND OF THE INVENTION

Many website owners desire information concerning usage of their websites. For example, an Internet website owner might use a third party service to track the number of users that visit its website, the number of "clicks" these users collectively perform (using their mouse pointers) while visiting the website, and how long these users stay at the website. Using this objective information, the website owner may determine that its website is not attracting a sufficient number of users or has been ineffective at keeping the interest of users once they arrive. The website owner may react accordingly to improve its websites and, possibly, the success of its associated business operations.

Previous techniques for obtaining information concerning usage of websites often do not provide website owners with information about how users subjectively react to their websites, making the information of minimal value. Prior techniques that do solicit subjective user reactions do so with respect to transactions carried out using the website, but not with respect to the website itself. These techniques give website owners little if any information concerning subjective reactions of users to particular pages of their websites. Moreover, website owners are given little if any information about how users experience

their websites as the users navigate through them, moving from page to page according to the topography of the websites. Even techniques that request users to provide subjective reactions concerning transactions may be 5 relatively difficult to use, obtrusive, unstandardized, or otherwise deficient in some manner that causes them to be seldom used and therefore ineffective. The information reported to website owners may also be ineffective due to the format in which it is provided, 10 for example, in reports that are difficult to interpret and do not allow useful comparisons to be made. These and other disadvantages make prior techniques inadequate for many website owners.

15 SUMMARY OF THE INVENTION

According to the present invention, the problems and disadvantages associated with previous techniques for receiving user feedback concerning websites have been substantially reduced or eliminated.

20 In one embodiment of the present invention, a system for measuring a user reaction to a particular web page of a website includes a viewable icon that solicits a subjective reaction to the particular page from a user that has accessed the particular page. The system also 25 includes software associated with the icon that receives the subjective user reaction for reporting to a website owner. In a particular embodiment, the software associated with the icon is incorporated into software of the particular page. In an even more particular 30 embodiment, the software associated with the icon includes a call to a directory containing a script that receives the user reaction.

In another embodiment of the present invention, a method of incorporating user reaction measurement 35 software into a particular web page of a website includes

receiving an icon selection from a website owner specifying a viewable icon to appear on the particular page. The icon has associated user reaction measurement software that includes a call to a directory that 5 contains a script. The icon is incorporated into the particular page and the directory with the script is generated for communication together with the particular page. The call is also incorporated into software of the 10 particular page such that the user reaction measurement software is able to receive a subjective user reaction to the particular page, using the script, from a website user that has accessed the particular page.

In another embodiment of the invention, a system for reporting to a website owner user reactions to particular 15 web pages of a website includes a database containing user reaction information for each page. The reaction information for a particular page reflects subjective user reactions to the particular page received from users that have accessed the particular page. A reporting 20 module coupled to the database generates one or more reports based on the user reaction information for communication to the website owner. Each such report reflects the subjective user reactions to one or more particular pages. In a more particular embodiment, the 25 user reactions to a particular page are received using user reaction measurement software associated with a viewable icon.

In another embodiment of the present invention, a report for communicating user reactions to one or more 30 particular web pages of a website to a website owner includes multiple regions. Each region is associated with a corresponding type of subjective rating provided according to a subjective rating scale. A line has a length reflecting the total number of subjective ratings 35 of a particular page received from users that have

accessed the particular page, each rating being of a particular type according to the subjective rating scale. The line further has a position within one of the regions reflecting the subjective ratings of the particular page  
5 received from the users. In a more particular embodiment, the report includes a chart that includes the regions and the line, the regions extending as sectors from a center of the chart to a perimeter of the chart, the line extending outward from the center of the chart  
10 within one of the regions.

The present invention provides a number of important technical advantages over prior techniques. The present invention measures subjective user reactions to particular pages of websites using measurement software  
15 that is readily identifiable (according to the associated icon), easy to use, and unobtrusive. For example, the user need not separately download any software and open a new window on the user's browser. As a result, not only may very valuable information be readily compiled -  
20 subjective reactions to particular pages, along with other appropriate data that may be correlated to the subjective reactions - but it is likely that many users will actually provide this information so that it may actually be compiled. This stands in sharp contrast to  
25 previous techniques. In addition, the website owner may relatively easily incorporate the measurement software into one or more new or existing pages of the website, rather than assuming the cost and delay often associated with rewriting software code of these pages. These and  
30 other advantages may contribute to this measurement software (and associated icon) becoming a standard across the entire community of Internet users.

The reports provided to the website owner, in addition to containing a wealth of previously unavailable  
35 information concerning the particular pages of the

website, may be readily interpreted and allow useful comparisons to be made between these particular pages. Moreover, the present invention allows a website owner to access reports concerning the subjective user reactions 5 in much the same way a user might navigate from one page to another within a website, according to the topography of the website. This may give the website owner additional valuable information upon which to base decisions concerning website. One or more of these or 10 other technical advantages make the system and method of the present invention well suited for use in modern Internet and other environments in which users access websites. Other technical advantages are readily apparent to those skilled in the art from the following 15 figures, descriptions, and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 illustrates an exemplary system for measuring and reporting user reactions to particular web 20 pages of a website;

FIGURE 2 illustrates an exemplary web page incorporating a user reaction measurement tool;

FIGURE 3 illustrates an exemplary web page incorporating a general reaction measurement tool;

25 FIGURE 4 illustrates another exemplary general reaction measurement tool;

FIGURE 5 illustrates an exemplary web page incorporating a specific reaction measurement tool;

30 FIGURE 6 illustrates an exemplary combined general reaction measurement tool and specific reaction measurement tool;

FIGURE 7 illustrates an exemplary web page for registering a user;

35 FIGURES 8A and 8B illustrate exemplary site level reports;

FIGURE 9 illustrates an exemplary page level report;

FIGURE 10 illustrates an exemplary method of incorporating a user reaction measurement tool into particular web pages of a website;

5 FIGURE 11 illustrates an exemplary method of measuring a user's reactions to particular web pages of a website; and

FIGURE 12 illustrates an exemplary method of reporting on user reactions to particular web pages of a  
10 website.

#### DETAILED DESCRIPTION OF THE INVENTION

FIGURE 1 illustrates an exemplary system 10 for measuring and reporting on user reactions to particular  
15 web pages associated with a website using one or more reaction measurement tools that are incorporated in and viewable on the pages. As described more fully below, in one embodiment, the reaction measurement tools are standardized across some or all of the web pages, are  
20 readily identifiable by users of the pages, and are intuitive, predictable, and easy for the users to use in providing their reactions to the pages. As a result, these measurement tools provide a number of important technical advantages over previous techniques for  
25 measuring user input, which may merely measure and report objective website usage information or user reactions concerning transactions rather subjective user reactions on a page by page basis. Such systems are therefore incapable of providing meaningful feedback to website  
30 owners as to the "topography" of their websites; that is, which of possibly numerous pages of a website have been rated particularly successful or unsuccessful in the eyes of users of the website as those users navigate through the pages of the website according their particular  
35 needs. The system and method of the present invention

address these and other deficiencies.

Although the present invention is described primarily in connection with the measurement and reporting of subjective user reactions to one or more particular pages of one or more websites, the present invention may be similarly applied in connection with polling, surveying, product development research, market research, usability testing, business-to-consumer (B2C) commercial transactions, business-to-business (B2B) commercial transactions, or any other suitable activity for which the measurement and reporting of user responses may be desirable. Those skilled in the art will readily appreciate the application of the present invention to such activities based on these figures, descriptions, and claims.

System 10 includes a website owner 12, a web server 14, one or more website users 16, and a reporting server 18 coupled to one another using network 20, which may be any suitable local area network (LAN), metropolitan area network (MAN), wide area network (WAN), a global communications network such as the Internet, or any other suitable network. Although owner 12, server 14, users 16, and server 18 are described as coupled using a single network 20, the present invention contemplates multiple networks 12 of the same type or different types to couple these components to one another, according to particular needs. Owner 12 and users 16 may each be autonomous computer systems or may receive appropriate input from one or more associated persons. Servers 14 and 18 may 30 including software operating on one or more computer systems 22 and 24, respectively, at one or more locations. Owner 12, server 14, and server 18 may operate on at least one shared computer system. The computer systems associated with owner 12, user 16, 35 server 14, and server 18 include input devices, output

devices, processors, memories, and other components suitable for the features and operation described below.

Web server 14 hosts or otherwise supports at least one website 26 including one or more pages 28. Although 5 pages 28 are described primarily as web pages 28 associated with a typical website 26, the present invention contemplates measuring and reporting user reactions to files, documents, or any other formatted information. Moreover, although a single website 26 for 10 a single owner 12 is described in detail, server 14 may support one or more websites 26 for each of multiple owners 12. In general, using an associated web browser or other software component, the user 16 provides a uniform resource locator (URL) or other electronic 15 address to establish a connection to server 14 and access a particular page 28 associated with website 26. Server 14 communicates the requested page 28 to user 16 using network 20, user 16 receives page 28, and the user 16 views or otherwise processes page 28 according to the 20 user's particular needs. User 16 will typically provide one or more additional URLs during a single browser session to access additional pages 28 associated with website 26, navigating through the topography of website 26 according to particular needs. Multiple users 16 may 25 access a single page 28 substantially simultaneously. The present invention contemplates one or more website users 16 accessing one or more pages 28 of website 26 in any suitable manner during one or more browser sessions.

Each user 16 may have an opinion, assessment, 30 feeling, or other subjective reaction to each page 28 communicated to the user 16, either in its entirety or more specifically to the format, content, design, or another characteristic associated with page 28. For example only and not by way of limitation, user 16 may 35 consider a particular page 28 helpful, informative,

understandable, humorous, or may otherwise have a positive or favorable reaction to page 28, generally or with respect to one or more specific aspects of page 28. Alternatively, for example and without limitation, user 5 16 may consider a particular page unhelpful, uninformative, confusing, boring, or may otherwise have a negative or unfavorable reaction to page 28, generally or with respect to one or more specific aspects of page 28. The strength of this subjective reaction, whether 10 positive or negative, may vary from mild to very strong. Rather than having a positive or negative reaction, user 16 may have a neutral reaction to page 28. Moreover, the subjective reaction of user 16 to page 28, generally or as to specific aspects, may be different from the 15 subjective reaction of user 16 to other pages 28 or to website 26 in its entirety. Where appropriate, the phrase "reaction to page 28" is meant to include responses to one or more explicit questions concerning page 28, concerning one or more visual, audible, or other 20 elements of page 28, or concerning one or more items with which page 28 is logically associated. Even more broadly, where appropriate, the phrase "reaction to page 28" may include responses to any explicit question, whether or not the subject of the question is related in 25 some manner to page 28.

According to the present invention, the reactions of users 16 to one or more particular pages 28 of website 26 are measured and compiled to allow system 10 to provide valuable information to owner 12 concerning the 30 topography of website 26; that is, particular pages 28 and specific aspects of those particular pages 28 that have been successful or unsuccessful in the eyes of users 16 as users 16 navigate through pages 28 of the website 26. In one embodiment, server 14 supports a user 35 reaction measurement tool 30 that is incorporated into

pages 28 and may be communicated to user 16 with page 28 in response to user 16 requesting page 28.

As described below with reference to FIGURES 2 through 6, the tool 30 is preferably incorporated in page 28, both as a viewable icon and as suitable software components, in a manner that does not conflict with the existing design or coding of page 28. In a particular embodiment, tool 30 includes software code incorporated into the Hypertext Markup Language (HTML), Extensible Markup Language (XML), or other software code of page 28. Tool 30 also includes one or more JAVASCRIPTS, or other suitable scripts, that may be stored in a dedicated or other suitable directory. In the particular embodiment, the software code incorporated into page 28 calls the script response to the user 16 selecting an icon associated with tool 30 to provide a subjective user reaction. Tool 30 may be incorporated in one or more pages 28 of website 26, directly or indirectly such as through a call to a script within a dedicated directory, in any appropriate manner without departing from the intended scope of the present invention. In response to user 16 accessing the associated page 28, the incorporated software code and the directory containing the script are communicated with page 28 to user 16. Unless otherwise specified or appropriate, a reference to tool 30 is meant to include reference to the viewable icon, the script and its directory, the call to the script incorporated in the code of page 28, and any other components of tool 30, singly or in any combination. In one embodiment, the tool 30 continues to execute on the computer system of user 16, with associated page 28, until user 16 provides a user reaction or closes the user's web browser.

As described more fully below with reference to FIGURES 2 through 6, tool 30 may include a general

reaction measurement tool 32 for measuring the user's general reaction to the associated page 28, for example only and not by way of limitation, according to a multi-level or another suitable subjective rating scale. Also 5 as described more fully below with reference to FIGURES 2 through 6, instead of or in addition to general reaction measurement tool 32, tool 30 may include a specific reaction measurement tool 34 for measuring the user's reaction with respect to one or more selected aspects of 10 page 28, according to the same or a different subjective rating scale as for tool 32. For example and without limitation, tool 34 may measure the subjective reaction of user 16 to the content, design, usability, or any other suitable aspect of page 28, singly or in any 15 combination. Reactions measured using tool 30, 32, or 34 may include responses to one or more explicit questions posed to user 16 concerning page 28, concerning one or more visual, audible, or other elements of page 28, concerning one or more items with which page 28 is 20 logically associated, or concerning any other suitable subject. As described more fully below, tools 30, 32, and 34 may allow a user 16 to provide comments or access additional information concerning the rating scale, tool 30, 32, or 34, website 26, owner 12, or any other 25 appropriate aspect of system 10. Subjective reactions and related input received from users 16 may be stored temporarily on the computer system of user 16, within tool 30, or at another suitable location before being communicated to server 18 for storage within database 36, 30 which may include one or more data storage locations integral to or separate from computer system 24.

In one embodiment, user reaction measurement tool 30 includes registration module 38 for collecting appropriate demographic or any other suitable information 35 associated with user 16. Using such demographic

information, the reactions of user 16 to pages 28 may be categorized and analyzed to obtain further information that may be valuable to owner 12 or to others. Not only can demographic information be correlated to user 5 reactions, but the linking between demographic information and user reactions may be used to determine additional information about the correlation between user reactions and other metrics. For example, system 10 or another system may collect website traffic data, along 10 with demographic information requested from website visitors, such that the traffic data may be correlated with the demographic data. System 10 may collect user reaction data, along with demographic information requested from users 16, such that the user reaction data 15 may be correlated with the demographic data. Since in this example both the website traffic data and the user reaction data are correlated with demographic information, the traffic data and user reaction data may be correlated with one another to provide owner 12 or 20 others with potentially valuable information. It may also be desirable to present the traffic data and user reaction data together in an integrated fashion, with or without the linking demographic information, using a single "dashboard" or other suitable visual display. Any 25 set of two or more metrics may be correlated in an analogous manner, using a common link to demographic or other suitable compiled information, and presented together using a single visual display.

As described more fully below with reference to 30 FIGURE 7, the registration module 38 may be implemented using a registration page or pop-up window that is presented to a user 16 at least the first time the user 16 selects tool 30 to provide a subjective user reaction to a page 28 associated with website 26. The demographic 35 information received from users 16 is communicated to

server 18 for storage in database 40, which may include one or more data storage locations integral to or separate from database 36 and computer system 24. This demographic information may be accessible to users 16, 5 with appropriate password protection, to allow the users 16 to add to, delete, or modify some or all of their associated demographic information, as appropriate. Alternatively, users 16 might communicate appropriate modifications, using e-mail for example, to a person 10 responsible for implementing such modifications. Although a particular registration procedure is described, user 16 may register in any appropriate manner, for example, by facsimile, regular mail, or telephone (possibly using an interactive voice response 15 (IVR) system).

In general, website owner 12 is any entity responsible for at least one aspect associated with website 26, for example only, financing, creation, editing, approval, review, implementation, 20 administration, or any other suitable aspect associated with website 26. Owner 12 interacts with servers 14 and 18 as appropriate to set up and administer one or more websites 26 hosted or otherwise supported on server 14, including incorporating tool 30 into pages 28 and 25 accessing any reporting information on user reactions to pages 28. Before allowing owner 12 to incorporate tool 30 and the associated software components into pages 28, server 18 may require that owner 12 provide appropriate identification, billing, and other information; may 30 notify owner 12 that website 26 may be "crawled" to identify and gather data pertaining to pages 28; may provide owner 12 with a license agreement or other information concerning services being provided to owner 12; and may communicate any other appropriate information 35 with owner 12. Server 18 may store some or all of the

registration and setup information described above in one or more appropriate storage locations (not explicitly shown) according to particular needs. Server 18 may also assign owner 12 an identifier and password for use in 5 accessing reports concerning one or more particular pages 28 of website 26, as described more fully below. Although server 18 is described as handling the registration of owner 12, owner 12 may register in any appropriate manner, such as by facsimile, by regular 10 mail, or by telephone (possibly using an interactive voice response (IVR) system).

After appropriate information has been communicated between owner 12 and server 18 and, if desirable, verified in some appropriate manner, owner 12 may use a 15 wizard or other software component to download or otherwise communicate one or more pages 28 (or preferably copies of pages 28) of the website 26 from server 14 to the computer system of owner 12. Pages 28 may be communicated to owner 12 using File Transfer Protocol 20 (FTP) or in any other suitable manner, singly or as a group. Owner 12 may specify, for each page 28, the type of viewable icon the owner 12 wants to appear on page 28, the color of the icon, or any other suitable characteristic of the icon. In one embodiment, 25 characteristics of the icon may include one or more explicit questions concerning page 28, concerning one or more visual, audible, or other elements of page 28, or concerning one or more items with which page 28 is logically associated. Where appropriate, the 30 characteristics of the icon may include any explicit question, whether or not the subject of the question is related in some manner to page 28.

To specify an icon and its characteristics, as an example only and not by way of limitation, owner 12 might 35 click on the desired icon, which might be one of multiple

standard icons, and manipulate its characteristics using pull down menus. Owner 12 might then click on, drag and drop, or otherwise incorporate the desired icon into the local version of the page 28. The incorporation might 5 instead occur automatically in response to owner 12 specifying characteristics of the icon. The wizard may create a dedicated or other suitable directory containing the script of tool 30 and, in addition, paste or otherwise incorporate a call to the script in the 10 software code of the page 28. Owner 12 may use the wizard or another software component to upload or otherwise communicate each modified page 28 (incorporating the tool 30) back to the server 14, singly or as a group, to replace corresponding previous page 28 15 (not incorporating tool 30) within website 26. The process through which owner 12 may incorporate tool 30 in one or more pages 28 provides an important technical advantage of the present invention. In one embodiment, incorporation of tool 30 in pages 28 frees users 16 from 20 needing to download separate software (separate from accessing page 28) or open a separate window to provide subjective reactions using tool 30, providing another important technical advantage.

Alternatively, server 18 might communicate tool 30 25 directly to server 14 for automatic incorporation into pages 28. Less desirably, server 18 might communicate to owner 12 a file containing the software code to be incorporated into the code of pages 28 and also containing the directory with the script to be called 30 when user 16 selects tool 30 to provide a user reaction. Owner 12 may download from server 14 or otherwise obtain a local version of each page 28, manually edit each of the pages 28 by pasting in the appropriate software components, and then upload or otherwise communicate 35 modified pages 28 (incorporating tool 30) back to server

14, singly or as a group, to replace previous pages 28  
(not incorporating tool 30) within website 26. As  
another alternative, the tool 30 might be incorporated  
into page 28 as page 28 is constructed, such as with an  
5 entirely new website 26 or when new content is added to  
an existing website 26.

Although a number of possible alternatives are  
described in detail, tool 30 may be incorporated into  
pages 28 of website 26 in any suitable manner without  
10 departing from the intended scope of the present  
invention. Moreover, although a web page 28 is primarily  
described, the present invention contemplates tool 30  
being incorporated in or otherwise associated with an e-  
mail message, advertisement, Graphics Interface Format  
15 (GIF) file, or other suitable collection of information  
communicated to user 16, whether or not considered a web  
page 28. Any such collection of information  
incorporating tool 30 may be considered a page 28, where  
appropriate. For example, tool 30 may be incorporated  
20 into an attachment to an e-mail message communicated to  
user 16 and soliciting one or more subjective reactions  
to the content, delivery, or other aspect of the e-mail.  
Upon receiving the e-mail message, user 16 might open the  
attachment, click on or otherwise select the icon to  
25 provide one or more requested user reactions, and thereby  
cause user reaction information to be communicated to  
server 18 for collection and reporting.

As still another possible alternative within the  
scope of the present invention, tool 30 may be embedded  
30 or otherwise incorporated into the user's web browser  
rather than pages 28 to provide substantially equivalent  
functionality. In one embodiment, user 16 may download  
tool 30, either as part of accessing a page 28 or  
directly, and perform any appropriate subsequent  
35 operations to incorporate tool 30 into the web browser.

Tool 30 may be installed each time user 16 accesses a page 28 or may be installed the first time user 16 accesses a page 18 and remain installed until user 16 desires to uninstall the tool 30. If the tool 30 is 5 incorporated into the web browser rather than page 28, the viewable icon associated with tool 30 may appear in the "masthead" area of the browser window, may appear so as to obscure some or all of page 28 within the browser window, or may appear in any other suitable location and 10 in any other suitable manner, according to particular needs.

Periodically or in response to receiving reaction information from a user 16 concerning one or more particular pages 28 of website 26, collection module 42 15 of server 18 may perform a "crawl" to identify the pages 28 that are associated with website 26 (and possibly other websites 26) and incorporate tool 30. Based on this information, the collection module 42 may generate a map or other suitable report concerning the topography of 20 website 26 and store the map in a database 44, which may include one or more storage locations integral to or separate from database 36, database 40, and server 18. In one embodiment, the pages 28 are parsed to identify 25 their titles, URLs, and other suitable information for use in generating the map. Reporting module 46 uses the map to generate reports concerning the pages 28 of website 26, which might be linked to one another according to the topography of website 26 as described more fully below with reference to FIGURE 9. Owner 12 30 may subsequently modify one or more pages 28 of website 26 according to the subjective ratings or other user reactions received from users 16 (and possibly their demographic profiles), as reflected in the reports, to improve the pages 28 or better tailor the pages 28 for 35 particular categories of users 16.

In some cases, owner 12 may be an organization and different persons within the organization might be responsible for different sets of one or more pages 28 of website 26. This may be an especially likely scenario 5 when the owner 12 is a large company and website 26 includes a large number of pages 28. In one embodiment, when owner 12 is registering with server 18, owner 12 is requested to provide the e-mail address or other contact information for each such person, to identify pages 28 10 for which the person is responsible, and specify contact criteria. The information may be stored in a storage location (not explicitly shown) at or otherwise accessible to server 18. The contact criteria may apply to all the pages 28 for which the person is responsible 15 or for one or more selected pages 28. For example, the contact criteria might specify that if a page 28 receives five negative ratings within a specified time period, the person associated with that page 28 will be automatically informed using the stored e-mail address. Moreover, if a 20 user 16 provides comments using the icon associated with a page 28, the comments may be automatically communicated to the person associated with that page, as the comments are received or periodically as a group. The present invention contemplates any suitable threshold or other 25 contact criteria, according to particular needs.

In the operation of system 10, owner 12 interacts with servers 14 and 18 as appropriate to register the owner 12 and download or otherwise incorporate tool 30 into one or more pages 28 of website 26. The user 16 30 accesses a particular page 28 incorporating tool 30 during a browser session and uses tool 30 to provide one or more general or specific reactions to page 28. In one embodiment, if user 16 has not previously accessed any page 28 incorporating tool 30 during the browser session, 35 tool 30 may determine an Internet Protocol (IP) or other

electronic address for the computer system associated with user 16 and, when technically feasible, determine a hostname for the computer system. This preferably allows each user reaction to be associated with a particular 5 computer system coupled to network 20. Tool 30 may attempt to store a cookie, token, or other appropriate message including a browser session identifier on the user's computer system, using the user's web browser or in any other manner. Each time user 16 accesses another 10 page 28 incorporating tool 30 during the browser session, tool 30 may access this stored message and respond accordingly.

In response to user 16 providing a general or specific subjective reaction to page 28, tool 30 may also 15 attempt to store on the user's computer system a cookie, token, or other message that includes a reaction user identifier, which tool 30 may access as appropriate during the remainder of the browser session. The tool 30 may store the reaction user identifier on the user's 20 computer system, possibly along with the time and date at which user 16 provided the reaction. After user 16 provides a subjective reaction to the page 28, tool 30 may cause a previously viewable icon associated with tool 30 to become unviewable on page 28 for the remainder of 25 the browser session (if user 16 returns to the page 28), for as long as user 16 remains on page 28, for a specified time period, or otherwise. As a result, user 16 may be given no opportunity to provide multiple reactions to the same page 28, for example, during the 30 same browser session or during the specified time period, which may make the reported results more meaningful.

For example, if tool 30 causes the icon to become unviewable on a first page for which user 16 provided a user reaction, user 16 accesses a second page 28, and 35 user 16 later returns to first page 28 during the same

browser session, then tool 30 may recognize this based on the stored message including the reaction user identifier and prevent the icon from appearing on first page 28 for this and any other subsequent accesses of first page 28 during the browser session. Alternatively, tool 30 might allow the associated icon to remain viewable and might receive subsequent reactions to first page 28, but might simply ignore such subsequent reactions. Of course, tool 30 may simply receive from user 16 and process all the user reactions to a particular page 28, whether or not multiple reactions are received from user 16 for the particular page 28 during the same browser session or during a specified time period. In one embodiment, the cookies, tokens, or other messages that tool 30 stores on the user's computer system, including at least the browser session identifier and reaction user identifier, may expire when user 16 closes the user's web browser.

In one embodiment, user 16 is asked to provide demographic information the first time the user 16 provides a reaction to a page 28 associated with a website 26 supported on server 14 and incorporating tool 30. If user 16 provides the requested demographic information, tool 30 and server 14 communicate the information to the server 18 for storage in database 40. Tool 30 may also assign a demographic user identifier and store it on the user's computer system in the form of a cookie, token, or other suitable message. In one embodiment, this allows reports to be generated that reflect the demographic information, correlating it to user reaction information, and give owner 12 further valuable information regarding pages 28 of website 26. The demographic user identifier is preferably the same as the reaction user identifier to allow the reaction information and demographic information to be readily associated with one another. As discussed above,

demographic information linked to reaction information may be used correlate the reaction information with one or more other metrics that are similarly linked to demographic information.

5        If user 16 previously provided demographic information and accepted the associated cookie, token, or other message with the demographic user identifier, tool 30 determines this each time user 16 accesses another page 28 of website 26, during the same or a different  
10      browser session. Ideally, user 16 is requested to and does provide the demographic information the first time user 16 accesses a page 28 that incorporates tool 30. However, if user 16 elects not to provide some or all requested demographic information, tool 30 may again  
15      invite user 16 to provide demographic information in response to user 16 selecting tool 30 to provide a subsequent reaction to the same or a different page 28. Tool 30 might stop requesting the demographic information, at least for a specified period, after a  
20      specified number of refusals so as not to unduly alienate the user 16 or deter user 16 from providing reactions to pages 28 or from even accessing pages 28.

         User identifiers for user 16 may also be used for a variety of other suitable purposes. For example,  
25      according to a user identifier stored as a cookie, token, or other message on the user's computer system, tool 30 may cause a particular question to be presented to user 16 in response to user 16 providing a user reaction. As a more particular example, every tenth time the user 16  
30      selects tool 30 to provide a user reaction to an associated page 28, tool 30 might cause a question to appear inviting user 16 to indicate (in addition to providing the user reaction) whether user 16 is a customer of website 26 or its owner 12. User 16 might be  
35      given an opportunity to provide comments in addition to

answering "Yes" or "No." Such questions could be presented in response to the user 16 actually providing a user reaction using tool 30, instead of merely selecting tool 30.

5 In response to user 16 providing a general or specific reaction to a page 28, tool 30 stores the reaction temporarily in memory on the computer system associated with user 16 before instructing the computer system to communicate the reaction to server 18. Tool 30  
10 may also collect the time and date at which user 16 provided the reaction. Tool 30, using the user's computer system, may communicate user reaction information for page 28 to server 18 before or after user 16 leaves page 28. In one embodiment, the reaction  
15 information may include the title, URL, start time and date, reaction time and date, user reaction, and reaction user identifier, in any combination and without limitation. Reaction information may additionally include "web profile" information for the user 16, such  
20 as the IP address, hostname, username, password, network connection, operating system, web browser, screen resolution, plug-ins, or any other appropriate aspects of the user's environment. Tool 30 may compute the time user 16 spent on page 28 before providing a reaction or  
25 may leave this task for server 18 to perform.

Server 18 receives and accepts the reaction information. This may include determining the title, URL, user reaction, and reaction user identifier; computing the time user 16 spent on the page 28 before providing the reaction; and other appropriate operations. In one embodiment, server 18 attempts to match the received reaction user identifier with a stored demographic user identifier and, according to the match, associate the demographic information with the reaction  
35 information. The server 18 stores some or all of the

formation, preferably in association with the information, in database 36 for use in reports accessible to owner 12. Server 18 may send a message to user 16, through the user's web browser, to inform user 16 that the reaction has been fully received. As multiple users 16 provide positive reactions to pages 28 as they navigate the website 26 according to its topography, a wealth of information concerning pages 28 may be assembled and provided to owner 12 for use in improving pages 28 and thus website 26 as a whole. To do so, or more reports reflecting this information, server 18 communicates report requests to server 18 and once, receives the requested reports.

2 illustrates an exemplary web page 28  
g user reaction measurement tool 30. In one  
as described above, tool 30 provides a  
r measuring subjective user reactions to page  
standardized across some or preferably all  
website 26, is readily identifiable by users  
intuitive, predictable, and thus easy for  
16 to use in providing their subjective  
pages 28. In a more particular embodiment,  
appears to users 16 as a language-independent  
swable on page 28 within the user's browser  
periodically or continuously spins, flips,  
imates, or otherwise alternates between "(+)"  
mbols, "[+]" and "[-]" symbols, "+" and "-"  
any other suitable variation of plus and  
3.

ample only and not by way of limitation, around the plus and minus symbols may meet (meet) above and below the plus and minus resemble a capital "O" or oval. Analogously, sets around the plus and minus symbols may

plus and minus  
more, although  
are primarily  
imated icon 50  
f tool 30 with  
user reaction,  
of the present  
the same or  
of website 26  
websites 26.  
ing a readily  
throughout the

28 will be  
the time as user  
page 28. In  
or a specified  
user window 52  
50 may remain  
e to border 54  
s through page  
located in the  
and remain in  
s or otherwise  
on 50 to remain  
browser window  
e a subjective  
e it easier for  
r contribute to  
d well-accepted

use to the user  
over icon 50,  
sing the mouse  
ssociated touch

select symbol 64. Furthermore, as described more fully below with reference to FIGURE 6, a pop-up window containing rating scale 60 associated with tool 32, one or more rating scales associated with tool 34, and a 5 field to receive the comments or help requests may be presented to the user 16 in response to user 16 selecting symbol 64, selecting icon 50, or otherwise.

As illustrated in FIGURE 5, in response to the user 16 rolling an associated mouse pointer over icon 50, 10 pointing to and clicking on icon 50 using the mouse pointer, touching icon 50 using an associated touch screen, or selecting icon 50 in another appropriate manner, icon 50 may change into or otherwise be replaced with set 70 of one or more multi-level rating scales 72 15 corresponding to specific reaction measurement tool 34. Each of the rating scales 72 is used to measure the subjective reaction of user 16 to a specified aspect of the particular page 28, according to the same or a different multi-level rating scale as for tool 32. For 20 example only and not by way of limitation, tool 30 may have separate rating scales 72 for measuring the subjective reaction of user 16 with respect to the content, design, usability, or other suitable aspects of page 28, singly or in any appropriate combination. As 25 described above, reactions to page 28 may include responses to one or more explicit questions concerning page 28, concerning one or more elements of page 28, concerning one or more items with which page 28 is logically associated, or concerning other subject matter 30 possibly unrelated to page 28.

In one embodiment, as for rating scale 60 of tool 32, each rating scale 72 includes five levels ranging from very negative to very positive, each level having an associated language-independent or other suitable symbol 35 74. For example only, a "--" symbol 74 might correspond

to a very negative rating, a "--" symbol 74 might correspond to a somewhat negative rating, a "+-" symbol 74 might correspond to a neutral rating, a "+" symbol 74 may correspond to a somewhat positive rating, and a "++" symbol 74 may correspond to a very positive rating. Although five level rating scales 72 are described, any suitable multi-level or other subjective rating scale or scheme may be employed without departing from the intended scope of the present invention. Each rating scale 72 of tool 34 may be substantially the same or may be differentiated from other rating scales 72 on one or more bases, for example, through the use of color, shading, shape, or other characteristic. Preferably, rating scales 72 are substantially similar to or otherwise consistent with rating scale 60 to maintain predictability, consistency, and acceptance within the user community.

To record a specific reaction to page 28, the user 16 clicks on, points to, or otherwise selects an appropriate symbol 74 reflective of that reaction. In response, tool 34 (or tool 30) may store corresponding user reaction information and cause the user reaction information to be communicated to server 18 for storage in database 36. In a particular embodiment, the reaction information collected in response to user 16 providing a specific reaction to the page 28 may include, in any combination and without limitation: (1) the title of page 28; (2) the URL for page 28; (3) the reaction user identifier; (4) the subjective ratings (for example only, "++," "+," "+-", "-," or "--"); (5) the time and date the page 28 was accessed; (6) the time and date the subjective ratings were received; (7) web profile information for user 16; and (8) any other appropriate information. According to the demographic user

identifier, if one is available at server 18, the demographic information for user 16 may be stored in association with the user reaction information in database 36, as described above. Tool 34 may require 5 multiple ratings to be provided, one for each rating scale 72, before such information is stored.

One or more rating scales 72 may appear substantially simultaneously, in a suitable sequence, or in any other relative manner. For example, a succeeding 10 rating scale 72 might appear only in response to a user 16 providing a specific user reaction at a preceding rating scale 72. Whether the succeeding rating scale 72 appears at all might depend on the nature of the specific reaction provided at the preceding rating scale 72. One 15 or more child rating scales 72 may be nested with respect to a parent rating scale 72 on which child rating scales 72 depend within a hierarchy. One or more rating scales 72 may appear instead of or in addition to rating scale 60 and may appear before, substantially simultaneous 20 with, or after rating scale 60. For example, one or more rating scales 72 might appear only in response to user 16 providing a general reaction using rating scale 60, or the rating scale 60 might appear only in response to user 16 providing a specific subjective reaction using one or 25 more rating scales 72. Other suitable alternatives may be envisioned and the present invention is intended to encompass all such alternatives. In a particular embodiment, the rating scales 72 may rotate in their respective positions each time they appear to reduce or 30 eliminate any response bias that might otherwise manifest itself as a result of the arrangement of rating scales 72.

Some or all of the stored information concerning page 28 may be provided to owner 12 in the form of one or 35 more suitable reports to allow owner 12 to assess the

success of the particular page 28 in the eyes of the user community. As described more fully above with reference to FIGURE 1, icon 50 may cease to be viewable in browser window 52 after a specific reaction to page 28 has been 5 received from user 16. Although in one embodiment only tool 34 (not tool 32) is visible on the page 28 in response to selection of tool 30, the present invention contemplates tool 32 being visible on page 28 instead of or in addition to tool 34.

10 In one embodiment, as described above, a question mark or other symbol 64 may be associated with the set 70 of rating scales 72 to allow the user 16 to provide comments relating to the page 28, one or more specified aspects of page 28, one or more items associated with 15 page 28, or other appropriate comments. Symbol 64 might further allow user 16 to receive help or other information relating to tool 30, tool 32, tool 34, or system 10. For example, a window similar to the window 65 of FIGURE 4 may appear with rating scales 72 in 20 response to user 16 selecting symbol 64. Alternatively, rating scales 72 incorporating such a window might appear in response to user 16 initially selecting icon 50, without requiring user 16 to first select symbol 64. Moreover, as illustrated in FIGURE 6, a pop-up window 78 25 containing rating scale 60 associated with tool 32, one or more rating scales 72 associated with tool 34, and a field 79 to receive comments or help requests might be presented to user 16 in response to user 16 selecting symbol 64, selecting icon 50, or otherwise. The present 30 invention contemplates any technique for receiving comments or other textual input from user 16 in association with a particular page 28.

FIGURE 7 illustrates an exemplary registration page 80 that may be sent to user 16 in response to user 16 35 providing a general or specific reaction to at least one

page 28 of a website 26. Alternatively, user 16 may select a hypertext or other link within or associated with icon 50, rating scale 60, ratings scales 72, or window 78. The registration page 80 includes one or more 5 suitable input fields 82 for receiving demographic information from user 16, which is then used to create a user profile for user 16 that is stored in database 40. In one embodiment, demographic information collected from user 16 may include, for example only and not by way of 10 limitation, in any suitable combination: (1) a name; (2) an e-mail or other electronic address; (3) a residence, business, or other physical address; (4) a password; (5) a gender; (6) an age or age range; (7) a job title, position, profession, industry, or other employment 15 information; (8) an employment status (for example, full-time, part-time, student, or retired); (9) number of persons in household; (10) a housing status (for example, homeowner or renter); (11) a highest level of education; (12) personal or household income or income range; (13) 20 information concerning one or more activities of user 16, such as computer usage patterns and preferences; and (14) any other appropriate demographic information.

In one embodiment, as described above with reference to FIGURE 1, after server 18 receives demographic 25 information sufficient to establish a user profile for user 16, server 14 assigns a demographic user identifier to the user 16 and associates this demographic user identifier with the corresponding user profile in database 36. The demographic user identifier is stored 30 on the user's computer system (in the form of a cookie, token, or other message) in response to the user 16 providing requested demographic information. In response to user 16 subsequently selecting tool 30 to provide a reaction, tool 30 recognizes user 16 according to the 35 stored demographic user identifier and may convey a

suitable message to indicate this recognition. For example, the tool 30 may replace the icon 50 with a personalized message (such as "Thanks, [name]") in response to user 16 providing a general or specific 5 subjective reaction to a particular page 28. This message may be transient, disappearing after a specified time period, or may remain viewable in browser window 52 while the user 16 remains on the page 28. The demographic user identifier preferably matches the 10 reaction user identifier for the user 16, which allows user reaction information and demographic information to be readily associated with one another at server 18. As described above, demographic information linked to reaction information may also facilitate the correlation 15 of reaction information to other suitable metrics that are linked to demographic information.

As discussed above, website 26 may have a "topography" according to pages 28 of website 26 and the relationships between the pages 28. In one embodiment, 20 system 10 provides owner 12 with the ability to access and readily navigate through reports, which provide rating information for pages 28 of website 26, in a similar manner as user 16 accesses pages 28 while navigating through website 26 according to the topography 25 of website 26. Furthermore, the reports allow owner 12 to readily focus on pages 28 that are of most interest. For example only, and not by way of limitation, owner 12 may be particularly interested in accessing reaction 30 information for any pages 28 that generated a significant percentage of very negative subjective reactions, whether the reactions are general or specific. As another example, owner 12 may be particularly interested in reviewing reaction information for any pages 28 that generated a significant percentage of very positive 35 reactions among users 16 having specified demographic

characteristics. The information is communicated to owner 12 from server 14, upon request, in the form of one or more suitable reports. Upon obtaining this information, which was unavailable using previous 5 techniques, owner 12 may respond to improve website 26 and, quite possibly, the success of an associated business or other enterprise.

FIGURES 8 through 9 illustrate exemplary reports 100 for one or more pages 28 of website 26. Reports 100 are 10 intended to provide the owner 12 with a readily understandable view of the user reactions for a particular page 28, a set of particular pages 28, or website 26 as a whole (considering all pages 28). As described above, reactions to page 28 may include 15 responses to one or more explicit questions about page 28, one or more elements of page 28, one or more items with which page 28 is logically associated, or any other suitable subject. Reports 100 may reflect only user reactions collected during a specified time period or 20 might reflect all user reactions collected since tool 30 was incorporated to the particular page 28 or pages 28 that reports 100 concern. As an example, reports 100 for successive time periods might allow owner 12 to identify trends in the user reaction information and to respond 25 appropriately. Reports 100 may reflect only the reactions collected from users 16 having a specified user profile or one or more specified demographic characteristics, or may reflect all user reactions collected for the particular page 28 or pages 28 of 30 interest. The present invention contemplates one or more reports 100 to provide the owner 12 with any information collected using tools 30, 32, or 34, in a format appropriate for owner 12.

For example, as shown in FIGURE 8A for a website 26 35 as a whole, ratings table 102 may include a timeframe 104

during which user reactions of ratings table 102 were collected. A website overview 106 might include, in any combination and without limitation: (1) the number of ratings for all pages 28 of website 26 (generally or as to one or more specific aspects); (2) the number of one or more specified types of ratings for all pages 28, such as the number of negative ratings (generally or as to one or more specific aspects); (3) the number of unrated pages 28 among all pages 28 (where user 16 accessed page 28 incorporating tool 30 but did not provide a rating); (4) the number of positively rated pages 28 (generally or as to one or more specific aspects) among all the pages 28 (which might include, for example, both positive ratings and very positive ratings according to rating scale 60 or 72 described above); (5) the number of neutrally rated pages 28 (generally or as to one or more specific aspects) among all of the pages 28; (6) the number of negatively rated pages 28 (generally or as to one or more specific aspects) among all pages 28 (which may include, for example, both negative ratings and very negative ratings according to rating scale 60 or 72); (7) the number of ratings for the page 28 with the most ratings or most ratings of a specified type, such as the most negative ratings (generally or as to one or more specific aspects); (8) the number of comments received in connection with all pages 28; (9) and any other suitable rating information concerning website 26, considering all the pages 28. In the alternative, the ratings table 102 might provide similar information concerning one or more particular pages 28.

In one embodiment, a site detail 108 may provide any of the site level rating information described above in a more visually appealing and readily interpretable manner. The site detail 108 may provide a "sliding" or other appropriate scale 110 indicating, for a selected category

of site level rating information, the percentages of ratings that are negative, neutral, and positive. For example, the site detail 108 may include a sliding scale 110 for a "usability" aspect of pages 28. Sliding scale 110 might include a first portion 112a indicating the percentage of negative ratings as to usability, a second portion 112b indicating the percentage of neutral ratings as to usability, and a third portion 112c indicating the percentage of positive ratings as to usability. More or 10 fewer portions 112 that reflect finer or coarser rating variations may be provided according to particular needs. Portions 112 may be differentiated from one another using color, shading, or other suitable indicia. For example only, first portion 112a may be red, second portion 112b 15 may be black, and third portion 112c may be green. The present invention contemplates providing site level rating information to owner 12 in any suitable format.

In one embodiment, as shown in FIGURE 8A, report 100 reflects user reaction information for website 26 using a chart 124 having a ray, arrow, bar, or other line 126 for each page 28 of website 26. The lengths 128 of lines 126 along scale 130 represent the total number of ratings received for the corresponding pages 28. Chart 124 may be substantially circular at least in part, as 25 illustrated, with lines 126 that extend outward from its center 132, or may have any other suitable shape. As an example, as illustrated in FIGURE 8B, chart 124 may include a "flat" version of chart 124 having a scale 130 in the direction of a first axis 134 and lines 126 30 extending in the direction of the first axis 134 from a second axis 136 that is perpendicular to the first axis 134. Those skilled in the art will readily appreciate that other suitable schemes for representing the ratings associated with a particular page 28, including color for 35 example, may be used without departing from the intended

scope of the present invention. In one embodiment, when a mouse pointer is rolled across the tip of line 126 or line 126 is otherwise selected, the title of, the URL for, a link to, a report concerning, or other information relating to corresponding page 28 appears instead of, on top of, near, or otherwise in association with line 126. If a report for page 28 is generated, the report may replace report 100, similar to the manner in which a newly accessed page 28 may replace a previously accessed page 28 within a user's browser window.

In one embodiment, referring again to FIGURE 8A, chart 124 may include a number of regions 138, as an example, negative region 138, neutral region 138, and positive region 138. The position of line 126 relative to regions 138 may reflect the average rating for associated page 28 (or other mathematical operation on ratings for associated page 28). For example only and without limitation, if the ratings on five level rating scale 60 are assigned values of "1" through "5" with "1" being for a very negative rating, the average value for page 28 might be "2.5" and the corresponding line 126 might be positioned near the border between negative and neutral regions 138. Regions 138 may each have the same or no color, each region 138 may have a different color, or the colors of regions 138 may transition smoothly across regions 138. Instead of or in addition to colored regions 138, lines 126 may be colored according to their positions relative to regions 138. For example only and without limitation, line 26 reflecting an average rating of "1.4" might be substantially red, a line 26 reflecting an average rating of "3.3" might be substantially black, and line 26 reflecting an average rating of "4.2" might be substantially green. Color may be used in any suitable manner to convey user reaction information for one or more pages 28 of website 26.

According to the above, if multiple pages 28 have the same average rating, their lines 126 will overlap on chart 124. To avoid confusion in such cases, shorter lines 126 in such a group (having fewer ratings) may 5 terminate in a white circle rather than a colored circle or may be differentiated in any other suitable manner from the longest line 126 in the group (having the most ratings) and from each other. Such a differentiator may also be desirable where lines 126 do not have the same 10 average rating, and thus do not precisely overlap, but have ratings similar enough to make lines 126 difficult to distinguish from one another. In one embodiment, pages 28 having a substantially neutral average rating but bimodal distributions (according to any suitable 15 formula) may be represented using lines 126 that terminate in a red circle rather than a black circle or are differentiated in another suitable manner from any other lines 126 that reflect substantially neutral average ratings. For any subjective rating described 20 above, the present invention contemplates the rating being according to rating scale 60, one or more rating scales 72, or any other appropriate rating scale. Ratings for one scale, scale 60 for example, may be distinguished from ratings for another scale, scale 72 25 for example, using any suitable visual indicator in the same or a different chart 124, according to particular needs.

As discussed, instead of or in addition to reflecting user reaction information for one or more 30 particular pages 28 of website 26, chart 124 may reflect user reaction information for website 26 as a whole using a single line 126 that takes into account all pages 28 of website 26. For example, and not by way of limitation, chart 124 may include colored regions 138 as described 35 above and a single line 126 having a length reflecting

the number of ratings for all the pages 28 of website 26, according to scale 130, and having a position reflecting the average value of ratings for all pages 28 of website 26. Such a line 126 for website 26 as a whole may be 5 superimposed on chart 124 having lines 126 for particular pages 28 of website 26, may be within a separate window of chart 124, or may have any other suitable spatial relationship to chart 124 having lines 126 for particular pages 28 of website 26. Furthermore, such lines 126 may 10 be used to represent the average rating value for multiple websites 26 on the same chart 100, for example, some or all websites 26 associated with a particular owner 12. Websites 26 for which chart 100 reflects average rating values may be selected according to their 15 owners 12, the industries with which the websites 26 are associated, or other suitable selection criteria.

Benchmarks may be established and reflected in report 100, along with the average rating values for one or more websites 26, for purposes of comparison. For 20 example, as discussed above, report 100 may reflect an overall rating for website 26 according to the average (or other mathematical operation) of ratings for pages 28 of website 26. Overall ratings for other websites 26 that are associated with the same industry or otherwise 25 comparable with the particular website 26 may be generated in an analogous manner. Comparing the overall rating for the particular website 26 with the overall ratings of other websites 26, singly or as a group, may provide valuable information to owner 12. Furthermore, 30 overall ratings for multiple websites 26 may be evaluated in some manner to generate a website index value for each website 26 relative to other comparable websites 26. In one embodiment, such a website index might be updated once a month or otherwise to allow owner 12 to readily 35 track the overall performance of website 26 relative to

its peers. An overall rating assigned to website 26 in the manner described above, according to subjective ratings for pages 28 of the website 26, may provide owner 12 with more meaningful information about the 5 effectiveness of website 26 than collecting subjective ratings that each concern only website 26 as a whole.

In one embodiment, report 100 may also include a chart 140, integral to or separate from chart 124, providing a percentage or other relative portion of pages 10 28 of website 26 that have been rated. For example, and without limitation, if chart 124 is substantially circular as illustrated in FIGURE 8A, chart 140 may be located in a sector of chart 124 to allow the owner 12 to appreciate the information in charts 124 and 138 15 substantially simultaneously. The percentage of other relative portion of rated pages 28 may be indicated using a scale 142 or according to the amount 144 of the chart 140 that is colored, filled, or otherwise indicated as corresponding to that percentage or other relative 20 portion. Providing site level rating information to the owner 12 in an integrated and readily understandable manner using report 100 is an important technical advantage of the present invention.

FIGURE 9 illustrates an exemplary report 150 for a 25 particular page 28 of website 26. Similar to report 100 for website 26 as a whole, report 100 for page 28 may include ratings table 152 having a timeframe 154 during which user reactions of ratings table 152 were collected. A page overview 156 may include, in any suitable 30 combination and without limitation: (1) the number of ratings for page 28 (generally or as to one or more specific aspects); (2) the number of one or more specified types of ratings for page 28, such as the number of negative ratings (generally or as to one or 35 more specific aspects); (3) the number of positive

ratings for page 28 (generally or as to one or more specific aspects), which may include both positive ratings and very positive ratings according to rating scale 60 or 72; (4) the number of neutral ratings for the 5 page 28 (generally or as to one or more specific aspects); (5) the number of negative ratings for page 28 (generally or as to one or more specific aspects), which may include both negative ratings and very negative ratings according to rating scale 60 or 72; (6) the 10 number of comments received in connection with page 28; (7) and any other suitable rating information concerning page 28.

In one embodiment, page detail 158 may provide any of the page level rating information described above in a 15 more visually appealing and readily interpretable manner. The page detail 158 may provide a "sliding" or other appropriate scale 160 indicating, for a selected category of page level rating information, the percentages of ratings that are negative, neutral, and positive. For 20 example, the page detail 158 may include a sliding scale 160 for the "usability" aspect of page 28. Sliding scale 160 may include a first portion 162a indicating the percentage of negative ratings as to usability, a second portion 162b indicating the percentage of neutral ratings 25 as to usability, and a third portion 162c indicating the percentage of positive ratings as to usability. More or fewer portions 162 that reflect finer or coarser rating variations may be provided according to particular needs. Portions 162 may be differentiated from one another using 30 color, shading, or other suitable indicia. For example only, first portion 162a may be red, second portion 162b may be black, and third portion 162c may be green. The present invention contemplates providing page level rating information to the owner 12 in any appropriate 35 format.

In one embodiment, report 150 reflects user reaction information for page 28 using a chart 164 having a scale 166 in the direction of a first axis 168 and a set of bars, boxes, banners, or other lines 170 extending in the 5 direction of first axis 168 from a second axis 172 that is perpendicular to the first axis 168. The position of a line 170 along second axis 172 reflects the type of rating line 170 represents. The length of line 170 according to scale 166 reflects the number of ratings of 10 that type for page 28. The present invention contemplates chart 164 being "flat" as shown, being substantially circular similar to chart 124 shown in FIGURE 8A, or having any other suitable configuration. In one embodiment, owner 12 may move from report 100 to 15 any associated report 150 or to another report 100 for another website 26, may move from any report 150 to associated report 100, or may move in any other appropriate manner between reports 100 and 150 in assessing the user reaction information for one or more 20 websites 26 and their pages 28.

A report 150 for a particular page 28 may provide hypertext or other suitable links to reports 150 for other pages 28 that may be linked to the particular page 28 according to the unique topography of website 26. For 25 example, if a first page 28 allows users 16 to access either a second page 28, a third page 28, or a fourth page 28, report 150 for the first page 28 might similarly allow owner 12 to access at least the reports 150 for the second page 28, for the third page 28, and for the fourth 30 page 28. Report 150 for the first page 28 might further allow owner 12 to access the parent page 28 of the first page 28; that is, the page 28 at an adjacent higher level within a hierarchical topography of website 26 from which user 16 might navigate to the first page 28. In one 35 embodiment, reporting module 46 generates reports 150 "on

the fly" in response to specific requests received from the owner 12 using network 20. For example, reporting module 46 might access one or more databases 36, 40, and 44 to generate report 150 in response to owner 12 5 clicking on, pointing to, or otherwise selecting a link to a second page 28 while viewing report 150 for a first page 28. Reporting module 46, through reports 150, allows owner 12 to navigate through user reaction information pertaining to the pages 28 of website 26 in 10 much the same manner that users 16 navigate through the pages 28 of website 26 when accessing website 26 for their needs, according to the topography of website 26, providing an important technical advantage.

Instead of or in addition to reports 100 and 150, 15 reports may be provided to owner 12 according to one or more points of view that relate to rating distribution, rating values, rating submission, rating demographics, or other suitable criteria for one or more pages 28. For example, and not by way of limitation, such reports may 20 include: (1) a report of the distribution of ratings (number of ratings for each rating value) for a page 28 overall, for page 28 for a specified demographic profile (such as all women), or for page 28 for a target demographic profile of owner 12 (such as all women over 25 65 years old that live in Chicago and own their residence); (2) a report ranking, for one or more demographics (such as age), the top one or more categories (such as 18-25 year old) for those demographics in terms of percentage of ratings provided, 30 percentage of ratings provided of a specified type, or any other suitable rating information; (3) a report of the percentage occurrence of each rating value (or one or more selected rating values) for one or more demographics (such as age) or one or more demographic categories (such 35 as 18-25 year old); (4) a report of the number or the

percentage of ratings (or ratings of one or more specified types) versus the submission time and date (or time and date range); (5) a report of the distribution of ratings sorted according to the time spent on page 28 before rating submission; (6) a report of the top one or more IP addresses for users 16 submitting ratings for a time and date (or time and date range); and (7) any other suitable report reflecting user reaction information, demographic information, and any other collected information, according to particular needs. Although such point of view reports are described as being separate from reports 100 and 150, reports 100 and 150 may convey similar information. In one embodiment, for example, a particular point of view report might resemble report 150 illustrated in FIGURE 9.

FIGURE 10 illustrates an exemplary method of incorporating tool 30 into one or more particular pages 28 of website 26. The method begins at step 200, where owner 12 communicates a download or other suitable request to server 18 (shown in FIGURES 10 through 12 as "system server 18" to distinguish it from server 14, shown in FIGURES 10 through 12 as "website server 14"). At step 202, server 18 prompts owner 12 to provide identification, billing, and any other suitable registration and setup information. At step 204, owner 12 communicates the requested information to the server 18 (whether or not the server 18 is local to or distributed from owner 12). Server 18 may also notify owner 12 that website 26 may be crawled to identify and gather data pertaining to pages 28, may provide owner 12 with a license agreement and other information concerning the services to be provided to owner 12, or may communicate any other suitable information with owner 12. At step 206, server 18 may assign an owner identifier and password to owner 12 to allow the owner 12 to access

reports 100. Server 18 stores the registration and setup information for owner 12 in an appropriate storage location (not explicitly shown) at step 208 to complete registration and setup of owner 12.

5       At step 210, to incorporate tool 30 into one or more pages 28 of website 26, owner 12 downloads or otherwise communicates pages 28 (or copies of pages 28) from server 14 to the owner's computer system, preferably using a suitable wizard or other software component designed to  
10 facilitate the incorporation process. At step 212, owner 12 specifies, for each page 28, the type (for example, spinning between "(+)" and "(-)", color, or any other appropriate characteristic of the desired icon 50 for page 28. For example and without limitation, the owner  
15 12 may click on desired icon 50, which might be one of multiple standard icons 50, and modify one or more characteristics of icon 50 using suitable pull down menus. As described above, the characteristics of the icon might include one or more explicit questions  
20 concerning page 28, concerning one or more visual, audible, or other elements of page 28, or concerning one or more items with which page 28 is logically associated. Desired icons 50 are incorporated into local versions of pages 28 at step 214, singly or as a group. For example  
25 and not by way of limitation, owner 12 may click on, drag and drop, or otherwise incorporate desired icons 50 into the local version of pages 28, singly or as a group. Alternatively, the incorporation might occur automatically in response to owner 12 simply specifying  
30 characteristics of icon 50.

Owner 12, through the wizard or in any other suitable manner, may create a separate directory containing a JAVASCRIPT or other script embodying tool 30 at step 216 and, at step 218, may paste or otherwise  
35 incorporate a suitable call to the script into the

software code of the local version of page 28. After the tool 30 is incorporated into the local versions of pages 28, owner 12 may use the wizard to upload or otherwise communicate modified pages 28 (now incorporating tool 30) 5 to server 14 at step 220, singly or as a group, to replace corresponding pages 28 (not incorporating tool 30) in website 26. While an particular exemplary embodiment is described in detail, tool 30 may be incorporated in one or more pages 28 of a website 26 in 10 any suitable manner without departing from the intended scope of the present invention. For example, as an alternative, server 18 may communicate tool 30 and associated software components directly to server 14 for automatic incorporation into pages 28, in response to a 15 download request from owner 12. After the pages 28 incorporating tool 30 are then uploaded to server 14, the method ends. Tool 30 is communicated with page 28 to user 16 in response to user 16 accessing page 28 during a browser session.

20 FIGURE 11 illustrates an exemplary method of measuring reactions of user 16 to one or more particular pages 28 of website 26. The method begins at step 300, where user 16 establishes a connection to server 14 to access a particular page 28 of website 26 incorporating 25 tool 30. At step 302, server 14 communicates page 28, with incorporated tool 30, to user 16 and, at step 304, a separate directory containing the script associated with tool 30 is installed in some appropriate manner on the user's computer system. If page 28 is the first page 28 30 incorporating tool 30 that the user 16 has accessed during the browser session at step 306, tool 30 attempts to determine at step 308 the IP or other electronic address for the user's computer system and, when technically feasible, the hostname for the user's 35 computer system. At step 310, the tool 30 attempts to

store a cookie, token, or other appropriate message on the user's computer system, through the user's web browser or otherwise, containing the session identifier for the browser session. At step 312, tool 30 may also 5 store the time and date at which user 16 accessed the page 28. At step 306, if page 28 is not the first page 28 incorporating tool 30 that user 16 has accessed during the browser session, the method may proceed directly to step 312. The present invention contemplates steps 304 10 through 312 occurring in any appropriate order, according to particular needs.

At step 314, user 16 rolls an associated mouse pointer over icon 50, points to and clicks on icon 50 using the mouse pointer, touches icon 50 using an 15 associated touch screen, or otherwise selects tool 30 to provide one or more subjective reactions to the particular page 28. As described more fully above, a multi-level subjective rating scale 60 associated with tool 32 may request user 16 to provide a general reaction 20 to page 28, one or more multi-level subjective rating scales 72 associated with tool 34 may request the user 16 to provide one or more specific reactions to the page 28, rating scale 60 and one or more rating scales 72 may appear in combination to request a combination of general 25 and specific reactions to the page 28, or one or more user reactions to the particular page 28 may be requested in any other suitable manner. In one embodiment, as described above, a reaction to page 28 may include one or more responses to explicit questions posed to user 16 30 concerning page 28, concerning one or more elements of page 28, or concerning one or more items with which page 28 is logically associated. Such questions may be presented to user 16 instead of or in addition to a rating scale 60 or 72. At step 316, user 16 provides one 35 or more reactions using a suitable combination of tools

30, 32, and 34.

If tool 30 determines at step 318 that user 16 has not previously provided demographic information, based on the absence on the user's computer system of a cookie, token, or other message including a demographic user identifier, the tool 30 may prompt user 16 to provide sufficient demographic information using registration page 80 at step 320. If user 16 provides requested demographic information at step 322, tool 30 attempts to 5 store a cookie, token, or other suitable message including a demographic user identifier on the user's computer system at step 324. Tool 30 may communicate the demographic information and demographic user identifier to server 18 at step 326 for storage in database 40.

10 Alternatively, the tool 30 may wait to communicate the demographic information together with user reaction information described below. At step 328, tool 30 attempts to store a cookie, token, or other suitable message including a reaction user identifier on the 15 user's computer system, preferably the same as the demographic user identifier described above. If tool 30 determines at step 318 that user 16 previously provided demographic information (in the same or in a previous browser session), based on there being a cookie, token, 20 or other suitable message including a demographic user identifier stored on the user's computer system, the method may proceed directly to step 328. Step 328 may occur before, during, or after steps 318 through 326, as 25 appropriate.

30 At step 330, tool 30 temporarily stores reaction information on the computer system of user 16 and instructs the computer system to communicate the reaction information to server 18. In one embodiment, the reaction information for page 28 may include, in any 35 suitable combination and without limitation, the title,

the URL, the start time and date, the reaction time and date, the user reaction, the reaction user identifier, and web profile information. Tool 30 may continue to store the reaction user identifier for determining, in 5 response to the user 16 subsequently accessing the particular page 28, that user 16 has already accessed the particular page 28. Tool 30 communicates reaction information, using the computer system of user 16, to server 18 at step 332. At step 334, tool 30 may cause an 10 icon 50 to become unviewable on the particular page 28 for the remainder of the browser session, until user 16 leaves the page 28 (being viewable again if user 16 returns to the page 28 during the browser session), or for any other suitable period.

15 At step 336, server 18 manipulates and stores reaction information received from tool 30. For example, server 18 may compute the time spent on the page 28 before user 16 provided the reaction. Server 18 stores any such computed reaction information, together with 20 suitable reaction information received from tool 30, in database 36. If the received reaction information included a reaction user identifier, server 18 may attempt to match the reaction user identifier with a demographic user identifier stored in database 40, to 25 allow the server 18 to associate the demographic information for user 16 with the reaction information in database 36. If user 16 has closed the web browser to terminate the browser session at step 338, the cookies, tokens, or other messages stored on the user's computer 30 system containing the session identifier and reaction user identifier may expire at step 340, and the method ends. If user 16 instead accesses another page 28 that incorporates tool 30 during the browser session, the method returns to step 300.

FIGURE 12 illustrates an exemplary method of reporting to owner 12 user reactions to one or more particular web pages 28 of a website 26. The method begins at step 400, where collection module 42 may 5 perform a crawl or otherwise identify the pages 28 of website 26 incorporating tool 30. At step 402, collection module 42 may parse pages 28 to identify their titles, URLs, and any other appropriate information. At step 404, the collection module 42 may generate a map or 10 other report concerning the topography of website 26 and, at step 406, store the map in the database 44. At step 408, owner 12 communicates a report request to server 18 and, at step 410, the reporting module 46 prompts owner 12 to specify one or more criteria for use in generating 15 the requested report 100. Owner 12 provides the requested report criteria at step 412.

The report criteria may include, for example and not by way of limitation: (1) whether a ratings table 102 or 152 is to be displayed; (2) the desired information that 20 is to appear in the ratings table 102 or 152; (3) whether a chart 124 or 164 is to be displayed, instead of or in addition to ratings table 102 or 152, respectively; (4) the type of chart 124 or 164 to be displayed (for example, chart 124 of FIGURE 8A or chart 124 of FIGURE 25 8B); (5) the desired information to appear in chart 124 or 164; (6) how the desired information is to be displayed in chart 124 or 164 (for example, specifying the use of color for regions 138 and lines 126); (7) whether chart 140 is to be displayed, instead of or in 30 addition to ratings table 102 or chart 124; (8) a point of view for the report 100 or 150 (for example, specifying one or more demographic characteristics to which the report 100 or 150 is to be limited, one or more time periods to which report 100 or 150 is to be limited,

or any other suitable points of view); and (9) any other suitable report criteria.

At step 414, reporting module 24 accesses the map for website 26 stored in database 44, reaction 5 information for pages 28 stored in database 36, and possibly demographic information for users 16 stored in database 40. As described above, the demographic information relating to particular reaction information may be stored in association with the reaction 10 information, in database 36 for example, when reaction information is received and processed. As a result, the reporting module 46 may not need to access database 40 to generate report 100 or 150. At step 416, reporting module 46 then generates the requested report 100 or 150, 15 concerning one or more particular pages 28 of website 26, according to the specified report criteria. In one embodiment, reporting module 46 generates report 100 or 150 on the fly in response to the specific report request from owner 12, without having previously stored report 20 100 or 150. At step 418, the reporting module 46 then communicates the requested report 100 or 150 to owner 12.

If the owner 12 wishes to access another report 100 or 150 at step 420, the method returns to step 412, where the owner 12 provides new report criteria. In a 25 particular embodiment, report 100 or 150 may provide hypertext or other appropriate links that, when selected, cause reporting module 46 to generate a new report 100 or 150 according to the selected link. The present invention contemplates owner 12 specifying new report 30 criteria through selection of such a link, in the manner that owner 12 specified the original report criteria, or in any other appropriate manner. Preferably, owner 12 may navigate through at least reports 150 in substantially the same manner that users 16 might 35 navigate through various pages 28 of website 26,

according to the topography of website 26. As described above, this feature provides an important technical advantage of the present invention. Steps 412 through 420 may be repeated as many times as necessary or 5 desirable to satisfy the needs of the owner 12. If the owner 12 does not wish to access another report 100 or 150 at step 420, the method ends.

Although the present invention has been described with several embodiments, a plethora of changes, 10 substitutions, variations, alterations, and modifications may be suggested to one skilled in the art, and it is intended that the invention encompass all such changes, substitutions, variations, alterations, and modifications as fall within the spirit and scope of the appended 15 claims.

WHAT IS CLAIMED IS:

1. A system for measuring a user reaction to a particular web page of a website, comprising:
  - a viewable icon operable to solicit a subjective reaction to the particular page from a user that has accessed the particular page; and
  - software associated with the icon and operable to receive the subjective user reaction for reporting to a website owner.

10

2. The system of Claim 1, wherein the software associated with the icon is incorporated into software of the particular page and the user need not download software separate from the page to provide the subjective user reaction.

3. The system of Claim 1, wherein the software associated with the icon comprises a call to a directory containing a script, the script operable to receive the user reaction.

4. The system of Claim 1, wherein the software associated with the icon is incorporated into a web browser of the user.

25

5. The system of Claim 1, wherein the icon comprises a multi-level rating scale including at least one positive rating, a neutral rating, and at least one negative rating.

30

6. The system of Claim 5, wherein each rating comprises at least one symbol selected from the group consisting of a plus sign and a minus sign.

7. The system of Claim 1, wherein the user reaction is selected from the group consisting of:  
a general user reaction to the particular page as a whole; and

5 a specific user reaction to at least one aspect of the particular page.

8. The system of Claim 7, wherein the aspect is selected from the group consisting of content, design,  
10 and usability.

9. The system of Claim 1, wherein the icon comprises a plurality of multi-level rating scales each associated with a particular aspect of the particular page, each of the rating scales including at least one positive rating, a neutral rating, and at least one negative rating.

10. The system of Claim 9, wherein each aspect is selected from the group consisting of content, design,  
20 and usability.

11. The system of Claim 1, wherein the user reaction comprises a response to an explicit question presented to the user.

12. The system of Claim 1, wherein the icon is generated in response to a user selecting a second viewable icon, the second icon comprising a symbol selected from the group consisting of a plus sign, a minus sign, and alternating plus and minus signs.

13. The system of Claim 1, wherein the particular page is not viewable in its entirety within a browser window of the user, the icon remaining viewable in the

browser window in response to the user scrolling to a previously unviewable portion of the particular page.

14. The system of Claim 1, wherein the software  
5 associated with the icon causes the icon to become unviewable in response to the user reaction and to remain unviewable while the user remains on the particular page.

15. The system of Claim 1, wherein the software  
10 associated with the icon is operable to receive demographic information from the user, in response to the user reaction, for reporting to the website owner in association with the user reaction.

15 16. The system of Claim 1, wherein the software associated with the icon is incorporated into software of the particular page in response to a request from the website owner, the request specifying one or more characteristics of the icon.

20

17. The system of Claim 1, further comprising a computer system operable to display the particular page to the user.

18. A system for measuring user reactions to a plurality of particular web pages of a website, comprising:

a viewable icon associated with each particular page  
5 and operable to solicit a subjective user reaction to the particular page from each user that has accessed the particular page, the graphical icon being substantially similar for each particular page, the graphical icon comprising a multi-level rating scale including at least  
10 one positive rating, a neutral rating, and at least one negative rating; and

software associated with the icon and incorporated into the software for each particular page such that the user need not download software separate from the page to  
15 provide the subjective user reaction, the software associated with the icon comprising a call to a directory containing a script operable to receive the user reactions, the software associated with the icon operable to receive the user reactions for reporting to a website  
20 owner.

19. A system for collecting a user response to a question concerning a particular web page of a website, comprising:

5 a viewable icon operable to present the question concerning the particular page to a user that has accessed the particular page; and

software associated with the icon and operable to receive the response for reporting to a website owner.

10 20. The system of Claim 19, wherein the software associated with the icon is incorporated into software of the particular page and the user need not download software separate from the page to provide the subjective user reaction.

15

21. The system of Claim 19, wherein the software associated with the icon comprises a call to a directory containing a script, the script operable to receive the user reaction.

20

22. The system of Claim 19, wherein the software associated with the icon is incorporated into a web browser of the user.

25

23. The system of Claim 19, wherein the icon comprises a visual element containing the question, the visual element selected from the group consisting of a box, a banner, and a bar.

30

24. The system of Claim 19, wherein the question concerns one or more specified elements of the particular page, each specified element selected from the group consisting of a visual element and an audible element.

25. The system of Claim 19, wherein the question concerns one or more specified items with which the particular page is associated.

5 26. The system of Claim 19, wherein the icon is generated in response to a user selecting a second viewable icon, the second icon comprising a symbol selected from the group consisting of a plus sign, a minus sign, and alternating plus and minus signs.

10

27. The system of Claim 19, wherein the software associated with the icon is operable to receive demographic information from the user, in association with the response, for reporting to the website owner in  
15 association with the response.

28. The system of Claim 19, wherein the software associated with the icon is incorporated into software of the particular page in response to a request from the  
20 website owner, the request specifying the question to be presented.

29. The system of Claim 19, further comprising a computer system operable to display the particular page  
25 to the user.

30. A method of measuring a user reaction to a particular web page of a website, comprising:

using a viewable icon to solicit a subjective user reaction to the particular page from each of one or more  
5 users that have accessed the particular page; and

using software associated with the icon to receive the subjective user reaction for reporting to a website owner.

10 31. The method of Claim 30, wherein the software associated with the icon is incorporated into software of the particular page and the user need not download software separate from the page to provide the subjective user reaction.

15 32. The method of Claim 30, further comprising:  
using the software associated with the icon to call to a directory containing a script; and  
using the script to receive the user reaction.

20 33. The method of Claim 30, wherein the software associated with the icon is incorporated into a web browser of the user.

25 34. The method of Claim 30, wherein the icon comprises a multi-level rating scale including at least one positive rating, a neutral rating, and at least one negative rating.

30 35. The method of Claim 34, wherein each rating comprises at least one symbol selected from the group consisting of a plus sign and a minus sign.

35 36. The method of Claim 30, wherein each user reaction is selected from the group consisting of:

a general user reaction to the particular page as a whole; and

a specific user reaction to at least one aspect of the particular page.

5

37. The method of Claim 36, wherein the aspect is selected from the group consisting of content, design, and usability.

10

38. The method of Claim 30, wherein the icon comprises a plurality of multi-level rating scales each associated with a particular aspect of the particular page, each of the rating scales including at least one positive rating, a neutral rating, and at least one negative rating.

15

39. The method of Claim 30, wherein each aspect is selected from the group consisting of content, design, and usability.

20

40. The method of Claim 30, wherein the user reaction comprises a user response to an explicit question presented to the user.

25

41. The method of Claim 30, further comprising generating the icon in response to a user selecting a second viewable icon, the second icon comprising a symbol selected from the group consisting of a plus sign, a minus sign, and alternating plus and minus signs.

30

42. The method of Claim 30, wherein:

the particular page is not viewable in its entirety within a browser window of a user; and

the method further comprises causing the icon to remain viewable within the browser window in response to

the user scrolling to a previously unviewable portion of the particular page.

43. The method of Claim 30, further comprising:

5 causing the icon to become unviewable in response to the user reaction; and

causing the icon to remain unviewable while the user remains on the particular page.

10 44. The method of Claim 30, further comprising using software associated with the icon to receive demographic information from a user, in response to the user reaction, for reporting to the website owner in association with the user reaction.

15

45. The method of Claim 30, further comprising:

receiving a request from the website owner; and

incorporating software associated with the icon into software of the particular page in response to the 20 download request.

46. A method of collecting a user response to a question concerning a particular web page of a website, comprising:

5 using a viewable icon to present the question concerning the particular page to a user that has accessed the particular page; and

using software associated with the icon to receive the response from the user for reporting to a website owner.

10

47. The method of Claim 46, wherein the software associated with the icon is incorporated into software of the particular page and the user need not download software separate from the page to provide the subjective 15 user reaction.

48. The method of Claim 46, wherein the software associated with the icon comprises a call to a directory containing a script, the script operable to receive the 20 user reaction.

49. The method of Claim 46, wherein the software associated with the icon is incorporated into a web browser of the user.

25

50. The method of Claim 46, wherein the icon comprises a visual element containing the question, the visual element selected from the group consisting of a box, a banner, and a bar.

30

51. The method of Claim 46, wherein the question concerns one or more specified elements of the particular page, each specified element selected from the group consisting of a visual element and an audible element.

35

52. The method of Claim 46, wherein the question concerns one or more specified items with which the particular page is associated.

5 53. The method of Claim 46, further comprising generating the icon in response to a user selecting a second viewable icon, the second icon comprising a symbol selected from the group consisting of a plus sign, a minus sign, and alternating plus and minus signs.

10

54. The method of Claim 46, further comprising using software associated with the icon to receive demographic information from a user, in association with the response, for reporting to the website owner in  
15 association with the response.

55. The method of Claim 46, further comprising:  
receiving a request from a website owner; and  
incorporating software associated with the icon into  
20 software of the particular page in response to the request, the request specifying the question to be presented.

56. A method of incorporating user reaction measurement software into a particular web page of a website, comprising:

5 receiving an icon selection from a website owner specifying a viewable icon to appear on the particular page, the icon having associated user reaction measurement software comprising a call to a directory containing a script;

10 incorporating the icon into the particular page; generating the directory containing the script for communication together with the particular page; and

15 incorporating the call into software of the particular page such that the user reaction measurement software is operable to receive a subjective user reaction to the particular page, using the script, from a website user that has accessed the particular page.

57. The method of Claim 56, wherein the website owner specifies the icon using a pull-down menu.

20

58. The method of Claim 56, wherein the icon selection specifies one or more characteristics of the icon selected from the group consisting of a symbol and a color.

25

59. The method of Claim 56, wherein the icon selection specifies one or more explicit questions concerning the particular page for presentation to the user.

30

60. The method of Claim 59, wherein the icon selection further specifies a visual element to contain each question, each visual element selected from the group consisting of a box, a banner, and a bar.

35

61. The method of Claim 59, wherein each question concerns one or more specified elements of the particular page, each specified element being selected from the group consisting of a visual element and an audible element.

62. The method of Claim 59, wherein at least one question concerns one or more specified items with which the particular page is associated.

10

63. The method of Claim 56, wherein the website owner drags and drops the icon onto the particular page to incorporate the icon and associated user reaction measurement software into the particular page.

15

64. The method of Claim 56, further comprising uploading the particular page to the website.

65. The method of Claim 56, wherein the particular page is selected from the group consisting of:

a copy of an original page downloaded from the website, for incorporation of the user reaction measurement software and subsequent uploading to the website to replace the original page; and

25 a new page for uploading to the website.

66. The method of Claim 56, performed using a software wizard executing on a server accessible to the website owner.

30

67. The method of Claim 56, performed for a plurality of particular pages of the website.

68. The method of Claim 67, wherein the icon selections specify different viewable icons to appear on at least two particular pages.

5 69. The method of Claim 67, wherein the icon selections specify different explicit questions for at least two particular pages.

70. A method of incorporating user reaction measurement software into a plurality of particular web page of a website, comprising:

- receiving one or more icon selections from a website owner which specify a viewable icon to appear on each particular page, each of the icons having associated user reaction measurement software comprising a call to a directory containing a script;
- incorporating the icons into the particular pages;
- generating the directories containing the scripts for communication together with the particular pages; and
- incorporating the calls into software of the particular pages such that the user reaction measurement software of each page is operable to receive a subjective user reaction to the particular page, using the script, from a website user that has accessed the particular page.

71. The method of Claim 70, wherein each icon selection specifies one or more characteristics of the associated icon selected from the group consisting of:

- a symbol for the icon;
- a color of the icon; and
- one or more explicit questions concerning the associated particular page for presentation to the user.

72. The method of Claim 70, wherein the website owner drags and drops the icons onto the particular pages to incorporate the icons and the associated user reaction measurement software into the particular pages.

73. The method of Claim 70, further comprising uploading the particular pages to the website.

74. The method of Claim 70, wherein each particular page is selected from the group consisting of:

a copy of an original page downloaded from the website, for incorporation of the user reaction  
5 measurement software and subsequent uploading to the website to replace the original page; and  
a new page for uploading to the website.

75. The method of Claim 70, performed using a  
10 software wizard executing on a server accessible to the website owner.

76. The method of Claim 70, wherein the icon selections specify different viewable icons to appear on  
15 at least two particular pages.

77. The method of Claim 70, wherein the icon selections specify explicit questions associated with at least two particular pages for presentation to the user,  
20 each question concerning one or more aspects of the associated particular page and being different from the question for at least one other particular page.

78 A system for reporting to a website owner user reactions to one or more particular web pages of a website, comprising:

5 a database containing user reaction information for each particular page, the user reaction information for a particular page reflecting subjective user reactions to the particular page received from users that have accessed the particular page; and

10 a reporting module coupled to the database and operable to generate one or more reports using the user reaction information for communication to the website owner, each report reflecting the subjective user reactions to one or more particular pages.

15 79. The system of Claim 78, wherein the user reactions to a particular page are received from users using user reaction measurement software associated with a viewable icon.

20 80. The system of Claim 78, wherein the user reactions are according to a multi-level subjective rating scale that includes at least one positive rating, a neutral rating, and at least one negative rating.

25 81. The system of Claim 78, wherein each user reaction is selected from the group consisting of:

a general subjective user reaction to the particular page as a whole; and

30 a specific subjective user reaction to at least one aspect of the particular page.

82. The system of Claim 81, wherein the aspect is selected from the group consisting of content, design, and usability.

83. The system of Claim 81, wherein the user reaction information for the particular page comprises a plurality of subjective ratings of the particular page, each subjective rating for a corresponding aspect of the  
5 particular page.

84. The system of Claim 83, wherein the subjective ratings are according to a plurality of multi-level rating scales that each include at least one positive  
10 rating, a neutral rating, and at least one negative rating.

85. The system of Claim 83, wherein each aspect is selected from the group consisting of content, design,  
15 and usability.

86. The system of Claim 78, wherein at least one report associates the user reactions to the particular page with demographic information for users that provided  
20 the user reactions.

87. The system of Claim 78, wherein at least one user reaction comprises a response to an explicit question presented to a user concerning a particular page  
25 of the website.

88. The system of Claim 78, wherein the reporting module is operable to generate the reports in response to a request received from the website owner that specifies  
30 one or more report criteria.

89. The system of Claim 78, wherein the reporting module is operable to generate a map of the website and to generate the reports according to the map.

90. The system of Claim 78, wherein a first report for a first particular page comprises a link to a second report for a second particular page, the first and second pages being linked within the website.

5

91. The system of Claim 90, wherein the reporting module is operable to generate the second report in response to a request received from the website owner using the first report, the website owner receiving the 10 first and second reports in a similar manner that a user might access the corresponding first and second particular pages according to the topography of the website.

15

92. The system of Claim 78, wherein the reporting module is operable to generate at least one report reflecting subjective user reactions to all the particular pages of the website.

20

93. The system of Claim 78, wherein the user reaction information for the particular page comprises:

a total number of subjective ratings of the particular page received from the users that have accessed the particular page, according to a multi-level 25 rating scale; and

an aggregate rating of the particular page reflecting all the subjective ratings of the particular page received from the users.

30

94. The system of Claim 78, wherein the reporting module is operable to communicate a message to a person associated with the website owner in response to the number of user reactions of a specified type exceeding a specified threshold for a particular page.

35

95. The system of Claim 78, further comprising a computer system that is operable to support the reporting module and communicate the reports to the website owner.

96. A report for communicating user reactions to one or more particular web pages of a website to a website owner, comprising:

5 a plurality of regions each associated with a corresponding type of subjective rating provided according to a subjective rating scale; and

10 a line comprising a length reflecting a total number of subjective ratings of a particular page received from users that have accessed the particular page, each rating being of a particular type according to the subjective rating scale, the line comprising a position within one of the regions reflecting the subjective ratings of the particular page received from the users.

15 97. The report of Claim 96, wherein the subjective rating scale includes at least one positive rating, a neutral rating, and at least one negative rating.

98. The report of Claim 96, wherein each subjective rating is selected from the group consisting of:

20 a general subjective rating of the particular page as a whole; and

a specific subjective ratings of at least one aspect of the particular page.

25

99. The report of Claim 98, wherein the aspect is selected from the group consisting of content, design, and usability.

30

100. The report of Claim 96, further comprising a chart that includes the regions and the line, the regions extending as sectors from a center of the chart to a perimeter of the chart, the line extending outward from the center of the chart within one of the regions.

35

101. The report of Claim 100, wherein each of the regions is a corresponding color.

102. The report of Claim 96, wherein the report 5 associates the subjective ratings of the particular page with demographic information for users that provided the subjective ratings.

103. The report of Claim 96, wherein the report is a 10 first report for a first particular page and comprises a link to a second report for a second particular page, the first and second pages being linked within the website.

104. The report of Claim 103, wherein the report 15 allows the website owner to receive the first and second reports in a similar manner that a user might access the corresponding first and second particular pages according to the topography of the website.

20 105. The report of Claim 96, wherein the report is operable to provide at least one item of information relating to the corresponding page in response to the line being selected.

25 106. The report of Claim 105, wherein the item of information is selected from the group consisting of a name of the page, a uniform resource locator (URL) for the page, and a link to the page.

30 107. The report of Claim 96, further comprising a second line comprising a second length reflecting a total number of subjective ratings of a second particular page received from users that have accessed the second particular page, each rating being of a particular type 35 according to the subjective rating scale, the second line

comprising a second position in one of the regions reflecting the subjective ratings of the second particular page received from the users.

- 5 108. The report of Claim 96, further comprising an indication of the number of particular pages for which subjective ratings have been received from users relative to the total number of pages of the website.

109. A method of reporting to a website owner user reactions to particular web pages of a website, comprising:

5 accessing stored user reaction information for each particular page, the user reaction information for a particular page reflecting subjective user reactions to the particular page received from users that have accessed the particular page; and

10 generating one or more reports for communication to the owner according to the stored user reaction information, each report reflecting subjective user reactions to the particular page.

110. The method of Claim 109, wherein the user reactions to the particular page have been received from users using reaction measurement software associated with a viewable icon.

111. The method of Claim 109, wherein the user reactions are according to a multi-level subjective rating scale that includes at least one positive rating, a neutral rating, and at least one negative rating.

112. The method of Claim 109, wherein each user reaction is selected from the group consisting of:

a general subjective user reaction to the particular page as a whole; and

a specific subjective user reaction to at least one aspect of the particular page.

30

113. The method of Claim 112, wherein the aspect is selected from the group consisting of content, design, and usability.

114. The method of Claim 109, wherein the user reaction information for the particular page comprises a plurality of subjective ratings of the particular page, each subjective rating for a corresponding aspect of the  
5 particular page.

115. The method of Claim 114, wherein the subjective ratings are according to a plurality of multi-level rating scales that each include at least one positive  
10 rating, a neutral rating, and at least one negative rating.

116. The method of Claim 114, wherein each aspect is selected from the group consisting of content, design,  
15 and usability.

117. The method of Claim 109, wherein at least one report associates the user reactions to the particular page with demographic information for users that provided  
20 the user reactions.

118. The method of Claim 109, wherein at least one user reaction comprises a response to an explicit question presented to a user concerning a particular page  
25 of the website.

119. The method of Claim 109, further comprising receiving a request from the website owner specifying one or more report criteria, the reports being generated in  
30 response to the request.

120. The method of Claim 109, further comprising:  
generating a map of the website; and  
generate the reports according to the map.

121. The method of Claim 109, wherein a first report for a first particular page comprises a link to a second report for a second particular page, the first and second pages being linked within the website.

5

122. The method of Claim 121, further comprising:  
communicating a first report to the website owner;  
receiving a request from the website owner using the  
first report;  
10 generating the second report in response to the  
request; and  
communicating the second report to the website  
owner, the website owner receiving the first and second  
reports in a similar manner that a user might access the  
15 corresponding first and second particular pages according  
to the topography of the website.

123. The method of Claim 109, wherein at least one report reflects subjective user reactions to all the  
20 particular pages of the website.

124. The method of Claim 109, wherein the user reaction information for the particular page comprises:  
a total number of subjective ratings of the  
25 particular page received from the users that have accessed the particular page, according to a multi-level ratings scale; and  
an aggregate rating of the particular page reflecting all the subjective ratings of the particular  
30 page received from the users.

125. A web site response measurement tool for measuring user reaction to a web site having a plurality of web pages, the measurement tool comprising:

5

a user reaction feedback mechanism locatable on each of said plurality of web pages for allowing a user to input user response data for each of said plurality of web pages;

10

means for collecting said user response data;

15

means for organizing said user response data on a page-by-page basis; and

15

means for reporting said user response data on a page-by-page basis.

20

126. The web site response measurement tool of claim 125 wherein said user reaction feedback mechanism provides a 5-point rating scale for rating each of said plurality of web pages.

25

127. The web site response measurement tool of claim 126 wherein said user reaction feedback mechanism further provides a question mark symbol for allowing a first time user to obtain instructions.

30

128. The web site response measurement tool of claim 125 wherein said user reaction feedback mechanism further includes a user diagnostic feedback mechanism that provides a plurality of labeled scales designed to obtain user response on a plurality of aspects of each of said plurality of web pages.

35

129. The web site response measurement tool of claim 125 wherein at least one of said plurality of web pages comprises a displayed section and a non-displayed section separated by a browser border and wherein the user can

scroll between said displayed section and said non-displayed section and wherein said user reaction feedback mechanism further comprises an icon placed in a specific viewable location relative to said browser border on said 5 displayed section of each of said plurality of web pages, said icon being configured to remain in said viewable location relative to said browser border as said user scrolls between said displayed section and said non-displayed section.

10

130. The web site response measurement tool of claim 125 wherein said plurality of web pages are viewed in an Internet browser having a masthead and a display section and said icon is located in a fixed position of the 15 masthead of the Internet browser.

20

131. The web site response measurement tool of claim 125 further comprising a user registration system for collecting user demographics information. 25

132. The web site response measurement tool of claim 129 wherein said means for organizing associates said user demographics information with said user response data and said means for reporting reports with said user demographics information and with said user response data.

30

133. The web site response measurement tool of claim 125 wherein said plurality of web pages are linked together in a predetermined topography and wherein said means for reporting allows web site owners to navigate through their web site following said topography to view said user response data.

35

134. The web site response measurement system of claim 128 wherein said plurality of labeled scales comprise questions regarding said user's reaction on

content, design and usability of each of said plurality of web pages.


135. The web site response measurement system of  
5 claim 125 wherein said means for organizing further comprises means for quantifying said user reaction data into a standardized measure.

136. The web site response measurement system of  
10 claim 133 wherein said means for reporting provides a plurality of display pages for displaying said user response data on a page-by-page basis with each of said plurality of display pages comprising user response data for a corresponding web page along with links to each of  
15 said plurality of web pages linked to said corresponding web page.

137. The web site response measurement system of  
claim 133 wherein said means for reporting provides a  
20 display showing a list of pages for displaying said user response data.

138. The web site response measurement system of  
claim 133 wherein said means for reporting provides a  
25 scan report categorizing average page ratings by color, value of rating and number of rating per web page.

1/10



2/10

FIG. 2





FIG. 3

3/10

52

FIG. 4





FIG. 5

52



4/10

78

FIG. 6

1 COMMENTS

PLEASE ENTER YOUR COMMENTS ABOUT THIS PAGE.

CONTACT US ABOUT CUSTOMER SERVICE RELATED MATTERS

2 DETAILED PAGE RATINGS

CONTENT	DESIGN	USABILITY
++	++	++
+	+	+
+-	+-	+-
-	-	-
--	--	--

3 OVERALL PAGE RATING

YOU MUST CLICK AN OVERALL PAGE RATING TO SUBMIT COMMENTS. THANK YOU.

PLEASE COMPLETE OUR USER REGISTRATION

FIG. 7

User Registration

By registering, you will be able to provide more useful feedback about websites you visit. Once you complete the following information, a cookie will store an ID with your browser that will identify your demographics with the ratings you make on a particular page.

You only need to complete the following information once and it will be associated with your ratings. You will use your password to update this information online.

Name: 82

Password:

E-mail Address:

Gender: select gender

Age: select age

Industry: select industry

Employment Status: select status

Register

80

Internet

FIG. 8A




FIG. 8B






FIG. 9



8/10



FROM FIG. 11B

9/10




FIG. 11A

TO FIG. 11B

10/10




FIG. 11B




FIG. 12